ELSEVIER

Journal of Alloys and Compounds 227 (1995) 193

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 227

Aegerter, M.A., 135
Aleksashin, B.A., 28
Algueró, M., 167
Ali, N., 49
Andreev, Y.G., 102
Apperley, D.C., 102

Begin-Colin, S., 157
Berrada, A., 125
Bodak, O.I., 37, 40
Bonhomme, F., L1
Boser, S., 186
Boukhari, A., 125
Bouzy, E., 157
Buriánek, J., L6

Casadio, S., 76
Cheng, Z.-h., 82
Cherepanov, Yu.G., 28
Connerade, J.-P., 145
Cuevas, F., 167

Elmarzouki, A., 125

Fernández, J.F., 167
Fischer, P., 116, 121
Flacke, F., 109
Florez, A., 135
Fukuda, T., 175

Gingl, F., 131
Gnanasekaran, T., 186
Gong, H.-y., 82
Grin, Yu., L4
Grishin, V.K., 5
Gusakov, A.G., 5

Harris, R.K., 102
Hiebl, K., 37, 40
Hiebl, K., 40
Hiebl, K., L4
Holt, E.M., 125
Horiuchi, H., 175
Hsu, Y.-S., 180
Huang, B., 116, 121, 131

Ipser, H., 186

Jacobs, H., 109
Jacobs, H., 10
Jenq, S.N., 69

Kleppa, O.J., 93
Kojima, Y., 97
Kong, L.-s., 82

Le Bihan, T., 44, 154
Le Caër, G., 157
Li, X.G., 141
Liang, B., 82
Liu, L., 76
Lundström, T., 102

Magini, M., 76
Makino, Y., 18
Malaman, B., 157
Malaman, B., 32
Malta, O.L., 135
Meschel, S.V., 93
Messaddeq, Y., 135
Mikler, H., 186
Morita, Y., 141

Nannetti, C.A., 76
Noël, H., 44, 154
Nojima, S., 175

Oh, S.-W., 102
Ohsaki, K., 141
Ono, S., 97

Perng, T.-P., 180

Raspopov, S.A., 5
Rechenbach, D., 10
Rodriguez-Carvajal, J., 131
Rogl, P., L4, 37, 40
Rychkova, S.V., 28

Saha, S., 49
Sánchez, C., 167
Schulz, R., 53
Senna, M., 97
Shen, B.-g., 82
Shinohara, T., 97
Shishido, T., 175
Singh, A.K., 63
Singh, A.K., 63
Skripov, A.V., 28
Sologub, O., 37, 40
Sprušil, B., L 6
Srivastava, O.N., 63
Steinmetz, J., 32
Stepanov, A.P., 28
Ström-Olsen, J.O., 53
Su, Q., 1
Suda, S., 58
Sumiyama, K., 97
Suzuki, K., 97

Tanaka, M., 175
Tessier, P., 53
Thompson, D.P., 102
Tie, S., 1

Uda, M., 141

Vecher, A.A., 5
Venturini, G., 32
Vilasi, M., 32
Voropayev, A.G., 5

Wan, C.C., 69
Wang, F.-w., 82
Wang, X.-L., 58
Wang, Y.Y., 69
Wypartowicz, J., 86

Yang, H.W., 69
Yu, Y., 1
Yvon, K., L1, 116, 121, 131

Zachwieja, U., 10
Zalusak, A., 53
Zaluski, L., 53
Zandona, M., 157

Elsevier Science S.A.

ELSEVIER

Journal of Alloys and Compounds 227 (1995) 195–198

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 227

Activity
thermodynamic properties of copper–arsenic liquid solutions 86
Alloys
thermodynamic properties of copper–arsenic liquid solutions 86
Antiferromagnetic compounds
formation, crystal chemistry and magnetism of compounds RE_2TGe_6, RE ≡ rare earth, T ≡ Pd, Pt, Cu, Ag and Au 37
Antiferromagnetism
magnetic behaviour of the rare earth molybdenum silicides $RE_2Mo_3Si_4$ with the $U_2Mo_3Si_4$ structure type 154
Arc melting
DTA investigation of the $(Ni_2Cu)_{1-x}Sn_x$ system L6
magnetic hardening of $Sm_2Fe_{17-x}Ga_xC_{2.5}$ compounds 82
Arsenic
thermodynamic properties of copper–arsenic liquid solutions 86
Atomic oxygen
enhanced oxidation of nickel in atomic oxygen 5
Atomic spectra
atomic spectra and instabilities of valence 145

Ball-milling
effects of relaxation on hydrogen absorption in Fe–Ti produced by ball-milling 53
Bond character
correlation between pseudopotential radii and interatomic distance and evaluation of bond characters for transition and lanthanide elements 18
B–C–N compounds
on the nature of boron–carbon–nitrogen compounds synthesised from organic precursors 102

C15 Laves phase
hydrogenation of multicomponent Zr-base C15 type alloys 180
Caesium
hexaamidostannates(IV) of the alkali metals potassium, rubidium and caesium, $M_2[Sn(NH_2)_6]$ (M = K, Rb, Cs), synthesis and crystal structures 109
Cobalt hydride complexes
$Ca_4Mg_4Co_3H_{19}$ and $Yb_4Mg_4Co_3H_{19}$, containing orientationally disordered square-pyramidal $[CoH_5]^{4-}$ anions 116
Complex metal hydrides
$Ca_4Mg_4Co_3H_{19}$ and $Yb_4Mg_4Co_3H_{19}$, containing orientationally disordered square-pyramidal $[CoH_5]^{4-}$ anions 116
new iron(II) complex metal hydrides with $SrMg_2FeH_8$ type structure 121
Compound formation
ternary compounds $REMSb_2$, RE≡La, Ce, Pr, Nd, Sm, Gd: M≡Mn, Zn, Cd; compound formation, crystal structure and magnetism 40
Copper
thermodynamic properties of copper–arsenic liquid solutions 86
a contribution to the ternary copper–magnesium–nickel phase diagram 186
Crystal growth
flux growth of perovskite-type $RAlO_3$ single crystals 175
Crystal structure
cubic $Mg_{29}Ir_4$ crystallizing with an ordered variant of the Mg_6Pd-type structure L1
crystal structure and magnetism of YbT_xGa_{4-x}, T = Zn, Cd with the $BaAl_4$-type L4
ternary compounds $REMSb_2$, RE≡La, Ce, Pr, Nd, Sm, Gd: M≡Mn, Zn, Cd; compound formation, crystal structure and magnetism 40
characterization of novel ternary uranium silicides and germanides with the $U_2Mo_3Si_4$ structure type in the U–(Mo, W, V)–(Si, Ge) systems 44
hexaamidostannates(IV) of the alkali metals potassium, rubidium and caesium, $M_2[Sn(NH_2)_6]$ (M = K, Rb, Cs), synthesis and crystal structures 109
flux growth of perovskite-type $RAlO_3$ single crystals 175

Dehydriding
preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
Differential thermal analysis
DTA investigation of the $(Ni_2Cu)_{1-x}Sn_x$ system L6
Diffusion
nuclear magnetic resonance study of deuterium diffusion in $ZrCr_2D_x$ 28
Direct synthesis calorimetry
standard enthalpies of formation of AlB_{12} and Al_4C_3 by high temperature direct synthesis calorimetry 93

Electrochemical discharge capacity
hydrogen absorption–desorption characteristics of $Ti_{0.35}Zr_{0.65}Mo_xV_{2-x-y}Mn_y$ alloys with C14 Laves phase for nickel/metal hydride batteries 69
Electron microscopy
preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
Enthalpies of formation
standard enthalpies of formation of AlB_{12} and Al_4C_3 by high temperature direct synthesis calorimetry 93
Europium
optical transition probabilities and compositional dependence of Judd–Ofelt parameters of Er^{3+} ions in fluoroindate glass 135

Film growth
on the necessary experimental conditions to grow titanium films on hot tungsten filaments using titanium tetraiodide 167

Fluorination
stability and tolerance to impurities of the fluorinated surface of hydrogen-absorbing alloys 58
Fluoroindate glass
optical transition probabilities and compositional dependence of Judd–Ofelt parameters of Er^{3+} ions in fluoroindate glass 135

Grinding
influence of the nature of milling media on phase transformations induced by grinding in some oxides 157

Hexaamidostannates(IV) of potassium
hexaamidostannates(IV) of the alkali metals potassium, rubidium and caesium, $M_2[Sn(NH_2)_6]$ (M = K, Rb, Cs), synthesis and crystal structures 109
High pressure ammonolysis
structure determination of γ'-Fe_4N and ϵ-Fe_3N 10
sd hybridization
correlation between pseudopotential radii and interatomic distance and evaluation of bond characters for transition and lanthanide elements 18
Hydriding
preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
Hydrogen absorbing alloys
stability and tolerance to impurities of the fluorinated surface of hydrogen-absorbing alloys 58
Hydrogen absorption
effects of relaxation on hydrogen absorption in Fe–Ti produced by ball-milling 53
hydrogen absorption–desorption characteristics of $Ti_{0.35}Zr_{0.65}Mo_xV_{2-x-y}Mn_y$ alloys with C14 Laves phase for nickel/metal hydride batteries 69
Hydrogen desorption
hydrogen absorption–desorption characteristics of $Ti_{0.35}Zr_{0.65}Mo_xV_{2-x-y}Mn_y$ alloys with C14 Laves phase for nickel/metal hydride batteries 69
Hydrogen in metals
nuclear magnetic resonance study of deuterium diffusion in $ZrCr_2D_x$ 28
Hydrogen storage
on the synthesis of the Mg_2Ni alloy by mechanical alloying 63
Hydrogenation
hydrogenation of multicomponent Zr-base C15 type alloys 180

Instability
atomic spectra and instabilities of valence 145
Interatomic distances
correlation between pseudopotential radii and interatomic distance and evaluation of bond characters for transition and lanthanide elements 18
Intermetallic compounds
cubic $Mg_{29}Ir_4$ crystallizing with an ordered variant of the Mg_6Pd-type structure L1
crystal structure and magnetism of YbT_xGa_{4-x}, T = Zn, Cd with the $BaAl_4$-type L4
formation of the intermetallic compound VSi_2 and a VSi_2–SiC composite by mechanical alloying 76
an NMR study on the mechanochemical interaction between Al and Ti in metals and hydrogels 97
preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
IR spectra
structure and site-symmetry investigation on the hexagonal $KCaY(PO_4)_2$ 1
Isotope effects
nuclear magnetic resonance study of deuterium diffusion in $ZrCr_2D_x$ 28

Judd–Ofelt parameters
optical transition probabilities and compositional dependence of Judd–Ofelt parameters of Er^{3+} ions in fluoroindate glass 135

Lanthanides
correlation between pseudopotential radii and interatomic distance and evaluation of bond characters for transition and lanthanide elements 18
Light alloys
a contribution to the ternary copper–magnesium–nickel phase diagram 186
Liquid
thermodynamic properties of copper–arsenic liquid solutions 86
Low pressures
enhanced oxidation of nickel in atomic oxygen 5

Magnetic hardening
magnetic hardening of $Sm_2Fe_{17-x}Ga_xC_{2.5}$ compounds 82
Magnetic phase diagrams
effect of Cr substitution on the magnetic properties of $SmMn_2Ge_2$ 49
Magnetic properties
characterization of novel ternary uranium silicides and germanides with the $U_2Mo_3Si_4$ structure type in the U–(Mo, W, V)–(Si, Ge) systems 44
Magnetism
crystal structure and magnetism of YbT_xGa_{4-x}, T = Zn, Cd with the $BaAl_4$-type L4
ternary compounds $REMSb_2$, RE≡La, Ce, Pr, Nd, Sm, Gd: M≡Mn, Zn, Cd; compound formation, crystal structure and magnetism 40
Mechanical alloying
on the synthesis of the Mg_2Ni alloy by mechanical alloying 63
formation of the intermetallic compound VSi_2 and a VSi_2–SiC composite by mechanical alloying 76
an NMR study on the mechanochemical interaction between Al and Ti in metals and hydrogels 97
Mechanochemical interaction
an NMR study on the mechanochemical interaction between Al and Ti in metals and hydrogels 97
Melt-spinning
magnetic hardening of $Sm_2Fe_{17-x}Ga_xC_{2.5}$ compounds 82
Metal hydrides
stability and tolerance to impurities of the fluorinated surface of hydrogen-absorbing alloys 58
hydrogenation of multicomponent Zr-base C15 type alloys 180
Milling media
influence of the nature of milling media on phase transformations induced by grinding in some oxides 157

Neutron powder diffraction
$Ca_4Mg_4Co_3H_{19}$ and $Yb_4Mg_4Co_3H_{19}$, containing orientationally disordered square-pyramidal $[CoH_5]^{4-}$ anions 116
structure determination of γ'-Fe_4N and ϵ-Fe_3N 10
new iron(II) complex metal hydrides with $SrMg_2FeH_8$ type structure 121
synthesis and structure of $Yb_{19}Mg_8H_{54}$, a new salt-like ternary metal hydride 131
Nickel
enhanced oxidation of nickel in atomic oxygen 5
Nuclear magnetic resonance
nuclear magnetic resonance study of deuterium diffusion in $ZrCr_2D_x$ 28
on the nature of boron–carbon–nitrogen compounds synthesised from organic precursors 102

Optical transitions
optical transition probabilities and compositional dependence of Judd–Ofelt parameters of Er^{3+} ions in fluoroindate glass 135
Oxidation
enhanced oxidation of nickel in atomic oxygen 5
Oxides
influence of the nature of milling media on phase transformations induced by grinding in some oxides 157

Perovskite
flux growth of perovskite-type $RAlO_3$ single crystals 175
Phase diagrams
a contribution to the ternary copper–magnesium–nickel phase diagram 186
Polymorphic transformations
influence of the nature of milling media on phase transformations induced by grinding in some oxides 157
Powder diffraction
cubic $Mg_{29}Ir_4$ crystallizing with an ordered variant of the Mg_6Pd-type structure L1
Pseudopotential radius
correlation between pseudopotential radii and interatomic distance and evaluation of bond characters for transition and lanthanide elements 18

Quaternary metal hydrides
$Ca_4Mg_4Co_3H_{19}$ and $Yb_4Mg_4Co_3H_{19}$, containing orientationally disordered square-pyramidal $[CoH_5]^{4-}$ anions 116
new iron(II) complex metal hydrides with $SrMg_2FeH_8$ type structure 121

$RAlO_3$ (R = La–Lu)
flux growth of perovskite-type $RAlO_3$ single crystals 175
Raman spectra
structure and site-symmetry investigation on the hexagonal $KCaY(PO_4)_2$ 1
Rare earths
magnetic behaviour of the rare earth molybdenum silicides $RE_2Mo_3Si_4$ with the $U_2Mo_3Si_4$ structure type 154
Relaxation effects
effects of relaxation on hydrogen absorption in Fe–Ti produced by ball-milling 53
Re-entrant ferromagnetism
effect of Cr substitution on the magnetic properties of $SmMn_2Ge_2$ 49

Rubidium
hexaamidostannates(IV) of the alkali metals potassium, rubidium and caesium, $M_2[Sn(NH_2)_6]$ (M = K, Rb, Cs), synthesis and crystal structures 109

Saline hydrides
synthesis and structure of $Yb_{19}Mg_8H_{54}$, a new salt-like ternary metal hydride 131
Silicides
structure of "$TaCo_4Si_3$", a new silicide closely related to the $Y_{13}Pd_{40}an_{31}$ stannide 32
Silicon
formation of the intermetallic compound VSi_2 and a VSi_2–SiC composite by mechanical alloying 76
Single crystals
flux growth of perovskite-type $RAlO_3$ single crystals 175
Site symmetry
structure and site-symmetry investigation on the hexagonal $KCaY(PO_4)_2$ 1
Solid solutions
a contribution to the ternary copper–magnesium–nickel phase diagram 186
Structure determination
structure determination of γ'-Fe_4N and ϵ-Fe_3N 10
Surface treatment
stability and tolerance to impurities of the fluorinated surface of hydrogen-absorbing alloys 58
Synthesis
on the synthesis of the Mg_2Ni alloy by mechanical alloying 63
hexaamidostannates(IV) of the alkali metals potassium, rubidium and caesium, $M_2[Sn(NH_2)_6]$ (M = K, Rb, Cs), synthesis and crystal structures 109

Ternary compounds
formation, crystal chemistry and magnetism of compounds RE_2TGe_6, RE ≡ rare earth, T ≡ Pd, Pt, Cu, Ag and Au 37
Ternary metal hydrides
synthesis and structure of $Yb_{19}Mg_8H_{54}$, a new salt-like ternary metal hydride 131
Ternary silicides
magnetic behaviour of the rare earth molybdenum silicides $RE_2Mo_3Si_4$ with the $U_2Mo_3Si_4$ structure type 154
Ternary uranium germanides
characterization of novel ternary uranium silicides and germanides with the $U_2Mo_3Si_4$ structure type in the U–(Mo, W, V)–(Si, Ge) systems 44
Ternary uranium silicides
characterization of novel ternary uranium silicides and germanides with the $U_2Mo_3Si_4$ structure type in the U–(Mo, W, V)–(Si, Ge) systems 44
Thermal analysis
preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
Thermal decomposition
on the necessary experimental conditions to grow titanium films on hot tungsten filaments using titanium tetraiodide 167
Thermal expansion
effect of Cr substitution on the magnetic properties of $SmMn_2Ge_2$ 49

Titanium
on the necessary experimental conditions to grow titanium films on hot tungsten filaments using titanium tetraiodide 167
Titanium tetraiodide
on the necessary experimental conditions to grow titanium films on hot tungsten filaments using titanium tetraiodide 167
Transition metal hydride complexes
new iron(II) complex metal hydrides with $SrMg_2FeH_8$ type structure 121

Uranium
magnetic behaviour of the rare earth molybdenum silicides $RE_2Mo_3Si_4$ with the $U_2Mo_3Si_4$ structure type 154

Valence
atomic spectra and instabilities of valence 145
Vanadium
formation of the intermetallic compound VSi_2 and a VSi_2–SiC composite by mechanical alloying 76
Vapour deposition
on the necessary experimental conditions to grow titanium films on hot tungsten filaments using titanium tetraiodide 167

X-ray diffraction
on the nature of boron–carbon–nitrogen compounds synthesised from organic precursors 102
preparation of fine Nb_3Al powder by hydriding and dehydriding of bulk material 141
X-ray powder diffraction
formation, crystal chemistry and magnetism of compounds RE_2TGe_6, RE ≡ rare earth, T ≡ Pd, Pt, Cu, Ag and Au 37
ternary compounds $REMSb_2$, RE≡La, Ce, Pr, Nd, Sm, Gd: M≡Mn, Zn, Cd; compound formation, crystal structure and magnetism 40

Ytterbium magnesium hydrides
synthesis and structure of $Yb_{19}Mg_8H_{54}$, a new salt-like ternary metal hydride 131

Zr-base alloy
hydrogenation of multicomponent Zr-base C15 type alloys 180